

Stormy Seas

Quilt by Lucy A. Fazely & Michael L. Burns

Finished Quilt: 64" x 76" - Finished Block Size: 12" x 12"

Sail Away fabrics by Classic Cottons - Style #3649

Fabric Requirements: Based on 44" wide fabric

1/3 yard cream sailboat print (#8313-9 Cream)

5/8 yard cream rope print (#8315-9 Cream)

3/8 yard map print (#8316-22 Blue)

1 yard red sailboat print (#8313-1 Red)

3/4 yard flag print (#8314-2 Blue)

1/6 yard blue rope print (#8315-2 Blue)



2 yards navy sailboat print (#8313-2 Blue)

1 yard seagull print (#8312-2 Blue)

2 yard lighthouse print (#8310-22 Blue)

3-7/8 yards fabric for backing (#8311-22 Blue postcard print suggested)

68" x 80" quilt batting



Cutting Directions: All measurements based on a 1/4" seam allowance.

From the cream sailboat fabric:

Cut six 1-1/2" x 44" strips then recut two strips into four 1-1/2" x 22" strips

From the cream rope fabric:

Cut two 7-1/4" x 44" strips then recut into ten 7-1/4" squares, cut each diagonally twice**

From the map print fabric:

Cut two 4-3/4" x 44" strips then recut into ten 4-3/4" squares

From the red sailboat fabric:

Cut six 2-1/2" x 44" strips then recut two strips into four 4-1/2" x 22" strips

Cut four 3-7/8" x 44" strips then recut into forty 3-7/8" squares

From the flag fabric:

Cut two 7-1/4" x 44" strips then recut into ten 7-1/4" squares, cut each diagonally twice**

Cut two 3-7/8" x 44" strips then recut into twenty 3-7/8" squares

From the blue rope fabric:

Cut one 3-1/2" x 44" strips then recut into ten 3-1/2" squares

From the navy sailboat fabric:

Cut two 6-7/8" x 44" strips then recut into ten 6-7/8" squares, cut each diagonally once*

Cut two 5-1/8" x 44" strips then recut into ten 5-1/8" squares, cut each diagonally once*

Cut one 3-7/8" x 44" strips then recut into ten 3-7/8" squares, cut each diagonally once*

Cut one 3" x 44" strips then recut into ten 3" squares, cut each diagonally once*

Cut seven 2-1/2" x 44" strips for binding

Cut eight 1-1/2" x 44" strips for border

From the seagull fabric:

Cut two 6-7/8" x 44" strips then recut into ten 6-7/8" squares, cut each diagonally once*

Cut two 5-1/8" x 44" strips then recut into ten 5-1/8" squares, cut each diagonally once*

Cut one 3-7/8" x 44" strips then recut into ten 3-7/8" squares, cut each diagonally once*

Cut one 3" x 44" strips then recut into ten 3" squares, cut each diagonally once*

From the lighthouse fabric:

Cut two 4-1/2" x 72" strips lengthwise, parallel to the selvage


Cut six 4-1/2" x 30+" strips the remaining width of the fabric

Stormy Seas

Page 2

Whirlpool Blocks:


1. Stitch a 3-7/8" red sailboat half-square triangle to each side of a 4-3/4" map square. Make a total of ten.




2. Stitch a 3-7/8" flag half-square triangle to a red sailboat 3-7/8" half-square triangle as shown. Make a total of forty.




3. Add the flag/red triangle sets to each side of the map/red squares.



4. Sew a 7-1/4" flag quarter-square triangle to a cream rope 7-1/4" quarter-square triangle as shown. Make a total of forty units.




5. Add the flag/cream triangle units to all four sides of the block centers. Make a total of ten blocks.




Storm at Sea Blocks:


1. Stitch two 3" seagull and two 3" navy sailboat half-square triangles to the sides of a 3-1/2" blue rope square. Make block centers.




2. Add 3-7/8" half-square triangles as shown to each block center.



3. Add 5-1/8" half-square triangles as shown to each block.



4. Complete the blocks by adding 6-7/8" half-square triangles to the corners.



Stormy Seas

Page 3

Assembly:

1. Lay out all the blocks in five horizontal rows of four blocks each, alternating the blocks.
2. Sew the blocks into rows. Stitch the rows together.

First Border:

1. Sew a 2-1/2" x 22" red sailboat strip end-to-end with each of the four 2-1/2" x 44" red sailboat strips.
2. Add a border to the right and left sides. Press and trim excess from these and all successive border additions.
3. Add remaining borders to the top and bottom of the quilt.

Second Border:

1. Make and add a 1-1/2" cream sailboat border in the same manner as the first border.

Third Border:

1. Sew 4-1/2" x 72" sailboat strips to the right and left sides of quilt.
2. Make two borders each with three 4-1/2" x 30+" strips sewn together end-to-end, matching the design as much as possible. Add these borders to the top and bottom of quilt.

Fourth Border:

1. Make four borders each with two 1-1/2" x 44" navy sailboat strips sewn together end-to-end. Add borders to the right and left sides and then to the top and bottom of quilt.

Finishing the Quilt:

1. Cut backing fabric into two equal lengths. Sew the two pieces together along selvage edges.
2. Layer the quilt backing, batting and quilt top. Baste layers together. Quilt or tie as desired.
3. Prepare binding from seven 2-1/2" x 44" navy sailboat strips. Sew strips together into one long binding strip. Press strip in half lengthwise.
4. Carefully trim backing and batting even with quilt top.
5. Leaving an 8" tail of binding, sew binding to top of quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where these two loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to 1/4" and press open. Finish sewing tape to quilt.
6. Turn binding to back of quilt and blind stitch in place. Sign and date your work.